

Acknowledgment of Prohibited Discharges

(Name) _____ certifies that (Company) _____ will provide the following to prevent illicit discharge, as needed on site: perimeter erosion controls, dust controls, trash controls, dirt track out controls, concrete washout, staked down portable toilets, and inlet protections. While this site is not required to provide a full State SWPPP Plan, City Ordinance 18.02 prohibits any illicit discharge into the City of Provo’s storm drain system.

The following are ways to prevent illicit discharge:

Perimeter Erosion Controls: For possible soil-laden runoff in non-stabilized areas of the project, provide perimeter controls. Contain all construction within the project limits. Keep sidewalks clean and free of debris.

Dust Control: Follow State regulations (<https://deg.utah.gov/Compliance/compliance/air/stationarysource/dustcontrol.htm>).

Trash Control: Contain fly away trash in a dumpster or trashcan. Keep site clean and free of hazards throughout the entire duration of the project.

Track Out Control: To keep mud, dirt, or rock from tracking off the project site create controls such as a track out pad, sweeping schedule, or both to reduce tracking that will occur.

Concrete Washout: Provide a concrete washout if concrete is being poured onsite.

Portable Toilets: Prevent portable toilets from tipping by staking or securing them to the ground.

Inlet Protection: Protect all inlets within 50 feet and closest downstream inlet of site. Inlet protection will need to be kept clean and free of debris. It is recommended that inlet is inspected by the contractor once a week and more often in the Fall when larger storm events are typical.

Name (Contact): _____

Phone/Email: _____

Signature (By Owner or Contractor): _____

Signing this acknowledgment is required for City of Provo permits that do not require a State General Construction or Common Plan permit.

If you have any questions about these guidelines, please contact:

Danielle Nixon
Provo City Storm Water Division
801-852-7773
dnixon@provo.org